



A service of the Nanoual Library of Medicine and the Nanoual Institutes of Health

My NCBi ? [Sign In] [Register]

ww.pubmed.gov OMINO PMC Jo. rr ms Pubivied Protein Structure Nucleotide Scarch PubMed Go Clear for (cardiocyte OR cardiomyocyte) culture activin Save Search Limits Preview/Index History Clipboard Details Related Articles, Links 1: Sakabe M, Matsui H, Sakata H, Ando K, Yamagishi T, Nakajima Y. ibe at Entreiz Understanding heart development and congenital heart defects through developmental ext Version biology: a segmental approach. Congenit Anom (Kyoto). 2005 Dec;45(4):107-18. PMID: 16359490 [PubMed - indexed for MEDLINE] Entrez PubMed -V. 1VI€√ T 2: Matsui H, Ikeda K, Nakatani K, Sakabe M, Yamagishi T, Nakanishi T, Nakajima Y. Related Articles, Links Help | FAQ ut Irtals Induction of initial cardiomyocyte alpha-actin--smooth muscle alpha-actin--in cultured Mew/Noteworthy L.J avian pregastrula epiblast: a role for nodal and BMP antagonist. · -Utilities Dev Dyn. 2005 Aug;233(4):1419-29. PMID: 15977172 [PubMed - indexed for MEDLINE] PuriMed Services ournals Database 3. Izumi M, Fujio Y, Kunisada K, Negoro S, Tone E, Funamoto M, Osugi T, Oshima Related Articles, Links MeSH Database Y, Nakaoka Y, Kishimoto T, Yamauchi-Takihara K, Hirota H. Single Citation Matcher Bone morphogenetic protein-2 inhibits serum deprivation-induced apoptosis of neonatal Satch Citation Matcher Clinical Quenes cardiac myocytes through activation of the Smad1 pathway.

pecial Queries inkOut My NCBI
Related Resources Order Documents

NLM Mobile
11.11 Calatog
11.11 Chroway
OKNET
Ichsunie Health
linical Atarts
linical Trais gov

univied Contral

A: Barron M, Gao M, Lough J.

Requirement for BMP and FGF signaling during cardiogenic induction in non-precardiac mesoderm is specific, transient, and cooperative.

Dev Dyn. 2000 Jun;218(2):383-93.

PMID: 10842364 [PubMed - indexed for MEDLINE]

To: Moore CS, Mjaatvedt CH, Gearhart JD.

Related Articles, Links

J Biol Chem. 2001 Aug 17;276(33):31133-41. Epub 2001 Jun 14.

PMID: 11408477 [PubMed - indexed for MEDLINE]

Expression and function of activin beta A during mouse cardiac cushion tissue formation. Dev Dyn. 1998 Aug;212(4):548-62.
PMID: 9707328 [PubMed - indexed for MEDLINE]





A terrace of the Nanonal Library of Medicine and the Nononal Institutes of Health

My NCBI ? [Sign In] [Register]

Preview/Index

w.pubmed.gov Protein

OMIM Structure Go **PMC** Joennais Bunka

Search PubMed

PubMed

Limits

for (cardiocyte OR cardiomyocyte) culture ("insulin-like

Details

Clear

Save Search

shout Entrez

as Version

nirez PubMed v-iviev/ 101.1211.3 utonals

Lew/Nor worthy & -Uulities

.≓uoMed Services ournals Database Jesh Database Single Citation Matcher Ratch Citation Matcher Thrucal Queries -pecial Otienes inkOut iy NCBI

Related Resources Firder Documents KLM Mobile -ILM Caralog **St.ivi** Gateway OXNET o school healt: linical Areits 'linicalTr als gov uniMed Central

History 1: Kofidis T, de Bruin JL, Yamane T, Balsam LB, Lebl DR, Swijnenburg RJ, Tanaka

M, Weissman II., Robbins RC. Insulin-like growth factor promotes engraftment, differentiation, and functional

Clipboard

improvement after transfer of embryonic stem cells for myocardial restoration. Stem Cells. 2004;22(7):1239-45.

PMID: 15579642 [PubMed - indexed for MEDLINE]

Related Articles, Links

Related Articles Links

2: Sachinidis A, Kolossov E, Fleischmann BK, Hescheler J. Generation of cardiomyocytes from embryonic stem cells experimental studies.

Herz. 2002 Nov;27(7):589-97.

PMID: 12439631 [PubMed - indexed for MEDLINE]

Jun 44 2006 [6/29/34





A service of the Nanozal Library of I fedicine and the Netional Institutes of Health

MV NCBI ? [Sign In] [Register]

ww.pubmed.gov

Structule

OMIM

PMC Journals

Scarch PubMed

PubMe¢

Nucleotide

Protein

Genome for (cardiomyocytes or cardiocytes) culture (creatine c Go

Clear Save Search +1 :-1

About Enirez

ext Version

Walter L 6' . | - A-)

utonais

-Utilities

intrez Publiked

er./Neteworthy

TunMed Services

lingle Citation Matcher

Jatch Citation Matcher Clinical Ouenes

Related Resources

irder Documents NLM Mobile

VLM Catalog

0.Nf

네트Gateway

Consumer Health

utilieu entral

10 Et 13 11 finical mais gov

ournals Database leSH Dalabase

Special Queries

' inkOut

Try NCBI

▼ Limits Preview/Index

History

Clipboard

Details

Limits: Entrez Date to 2001

1: Suzuki K, Brand NJ, Allen S, Khan MA, Farrell AO, Murtuza B, Oakley RE,

Related Articles, Links

Overexpression of connexin 43 in skeletal myoblasts: Relevance to cell transplantation to the heart.

J Thorac Cardiovasc Surg. 2001 Oct;122(4):759-66. PMID: 11581610 [PubMed - indexed for MEDLINE]

2: Su Y, Yang Y, Gu Q, Guo Q, Zhao J, Chen H.

Related Articles, Links

Taurine influx in cultured rat cardiomyocytes and changes after CVB3 infection.

Chin Med Sci J. 1997 Sep;12(3):159-63. PMID: 11360626 [PubMed - indexed for MEDLINE]

3: Takahashi K, Ohyabu Y, Schaffer SW, Azuma J.

Related Articles, Links

Cellular characterization of an in-vitro cell culture model of seal-induced cardiac ischaemia.

J Pharm Pharmacol. 2001 Mar;53(3):379-86.

PMID: 11291753 [PubMed - indexed for MEDLINE]

4: Thum T, Borlak J.

Related Articles, Links

Reprogramming of gene expression in cultured cardiomyocytes and in explanted hearts by the myosin ATPase inhibitor butanedione monoxime.

Transplantation. 2001 Feb 27;71(4):543-52.

PMID: 11258434 [PubMed - indexed for MEDLINE]

5: Williamson C, Gorelik J. Eaton BM, Lab M, de Swiet M, Korchev Y.

Related Articles, Links

The bile acid taurocholate impairs rat cardiomyocyte function: a proposed mechanism for intra-uterine fetal death in obstetric cholestasis.

Clin Sci (Lond). 2001 Apr;100(4):363-9.

PMID: 11256973 [PubMed - indexed for MEDLINE]

6: Thum T. Borlak J.

Related Articles, Links

Isolation and cultivation of Ca2+ tolerant cardiomyocytes from the adult rat:

improvements and applications.

Xenobiotica. 2000 Nov;30(11):1063-77. Review.

PMID: 11197068 [PubMed - indexed for MEDLINE]

7: Schlack W, Preckel B, Stunneck D, Thamer V.

Related Articles, Links

Related Articles Links

Effects of halothane, enflurane, isoflurane, sevoflurane and desflurane on myocardial reperfusion injury in the isolated rat heart.

Br J Anaesth. 1998 Dec;81(6):913-9.


PMID: 10211019 [PubMed - indexed for MEDLINE]

8: Schaffer SW, Ballard-Croft C, Azuma J, Takahashi K, Kakhniashvili DG, Jenkins

Shape and size changes induced by taurine depletion in neonatal cardiomyocytes. Amino Acids. 1998;15(1-2):135-42.

PMID: 9871493 [PubMed - indexed for MEDLINE]

Related Articles, Links Harayama H, Koide M, Obata K, Iio A, Iida M, Matsuda N, Akins RE, Yokota M,



Related Articles, Links

19: Fantini E. Demaison L. Sentex E. Grynberg A. Athias P.

	Some biochemical aspects of the protective effect of trinduring hypoxia and reoxygenation. J Mol Cell Cardiol. 1994 Aug;26(8):949-58. PMID: 7799450 [PubMed - indexed for MEDLINE]	netazidine on rat cardiomyocytes
┌ 20	: Millar BC, Schluter KD, Zhou XJ, McDermott BJ, Piper HM.	Related Articles, Link
	Neuropeptide Y stimulates hypertrophy of adult ventricular cardiomyocytes. Am J Physiol. 1994 May;266(5 Pt 1):C1271-7. PMID: 8203492 [PubMed - indexed for MEDLINE]	
	Items 1 - 20 of 27	Page 1 of 2 Next